



#### Frame colours



Charcoal grey

white

#### Drawers colours



green

blue

yellow

orange

grey

## CICLONE MEDIUM – PROCEDURE TROLLEY

### BEARING FRAME

Made by 4 powder-coated steel uprights that assure stability and consistency. Painting process complies with UNI EN ISO 9002 regulations.

### SIDE AND REAR PANELS

Made of technopolymer with rounded edges. They are designed for the positioning of accessories. Load capacity: 100 kg

### WORKTOP

Moulded technopolymer worktop with raised edges on three sides.

### DRAWER UNIT

Removable and interchangeable drawers made of moulded technopolymer running on soft-closing telescopic slides allowing their complete extraction. They are provided with ergonomic and anti-trauma handles and stopper. Centralized key lock.

Standard drawer configuration:

6 drawers, ext. height 150 mm;

2 drawer, ext. height 300 mm.

### LEFT SIDE

Ergonomic and anti-trauma ABS push handle.

### RIGHT SIDE

Technopolymer pull-out worktop, running on telescopic slides allowing its complete extraction.

### BASE

Double perimetral and shock absorbent bumper to prevent the trolley from turning over. 4 thermoformed swivel castors, Ø 125 mm, mounted on bearings; 2 are lockable.

Overall dim.: 1100 x 650 x 1060 h mm